EA95240594702

PTO/SB/64 (10-05

Approved for use through 07/31/2006, OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PETITION FOR REVIVAL OF AN APPLICATION FOR PATENT	Docket Number (Optional)
ABANDONED UNINTENTIONALLY UNDER 37 CFR 1.137(b)	S230-USA
DIPE .	
First named inventor: Robert J. Greenberg	
Application No.: 10/638,989 Art Unit:	
Filed: 08/11/2003 Examiner:	
Title: INSULATED IMPLANTABLE ELECTRICAL CIRCUIT	
Attention: Office of Petitions Mail Stop Petition Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 FAX (571) 273-8300	
NOTE: If information or assistance is needed in completing this form, Information at (571) 272-3282.	please contact Petitions
The above-identified application became abandoned for failure to file a timely a action by the United States Patent and Trademark Office. The date of abandonmed date of the period set for reply in the office notice or action plus an extensions of tire	nt is the day after the expiration
APPLICANT HEREBY PETITIONS FOR REVIVAL OF THIS AP	PLICATION
NOTE: A grantable petition requires the following items: (1) Petition fee; (2) Reply and/or issue fee; (3) Terminal disclaimer with disclaimer fee - required for all util filed before June 8, 1995; and for all design applications; as (4) Statement that the entire delay was unintentional.	ity and plant applications nd
1.Petition fee ✓ Small entity-fee \$ <u>750.00</u> (37 CFR 1.17(m)). Applicant claims small entity	status. See 37 CFR 1.27.
Other than small entity – fee \$ (37 CFR 1.17(m))	
Reply and/or fee A. The reply and/or fee to the above-noted Office action in the form of Letter and Annexes 1-4 (identification)	tify type of reply):
has been filed previously on is enclosed herewith.	

[Page 1 of 2]

B. The issue fee and publication fee (if applicable) of \$ _ has been paid previously on __

is enclosed herewith.

This collection of information is required by 37 CFR 1.137(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Petition, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/64 (10-05)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

3. Terminal disclaimer with disclaimer fee	
Since this utility/plant application was filed on or after June 8, 1995,	no terminal disclaimer is required.
A terminal disclaimer (and disclaimer fee (37 CFR 1.20(d)) of \$ for other than a small entity) disclaiming the required period of time PTO/SB/63).	
4. STATEMENT: The entire delay in filing the required reply from the due d filing of a grantable petition under 37 CFR 1.137(b) was unintentional. [N Trademark Office may require additional information if there is a question abandonment or the delay in filing a petition under 37 CFR 1.137(b) was subsections (III)(C) and (D)).]	OTE: The United States Patent and n as to whether either the
WARNING:	
Petitioner/applicant is cautioned to avoid submitting personal information in docu contribute to identity theft. Personal information such as social security numb numbers (other than a check or credit card authorization form PTO-2038 submitted the USPTO to support a petition or an application. If this type of personal information USPTO, petitioners/applicants should consider redacting such personal information to the USPTO. Petitioner/applicant is advised that the record of a patent application of the application (unless a non-publication request in compliance with 37 CFR 1.2 of a patent. Furthermore, the record from an abandoned application may also be referenced in a published application or an issued patent (see 37 CFR 1.14). Check 2038 submitted for payment purposes are not retained in the application file and the	ers, bank account numbers, or credit card for payment purposes) is never required by on is included in documents submitted to the from the documents before submitting them on is available to the public after publication 13(a) is made in the application) or issuance a available to the public if the application is the sand credit card authorization forms PTO-
Jomas Landeri	03/28/2006
Signature	Date
Tomas Lendvai, Ph.D.	77,488 Registration Number, if applicable
Typed or printed name	Registration Number, il applicable
Second Sight Medical Products, Inc.	818-833-5072
Address	Telephone Number
12744 San Fernando Rd., Sylmar, CA 91432	
Address	
Enclosures: 🗸 Fee Payment	
Reply	
Terminal Disclaimer Form	
Additional sheets containing statements establishing un	intentional delay
✓ Other: <u>Letter and Annexes 1-4</u>	
CERTIFICATE OF MAILING OR TRANSMISSION I hereby certify that this correspondence is being: Deposited with the United States Postal Service on the date postage as in the lass mail in an envelope addressed to: Mail	shown below with sufficient

PE 24	The Paperwork Reduction A	ct of 1995 no	o persons are required to	o respond to	J.S. Patent and Tra a collection of infor	demark Office mation unles	ce; U.S. DEPAF ss it displays a v	PTO/SB/17 (01-06) /31/2006. OMB 0651-0032 RTMENT OF COMMERCE valid OMB control number
	<i>E</i> -1					Complete	e if Known	
Fees	pursuit to the Consolidated). Applic	Application Number 10/638,989			
HVDE	TEE IKA	N21	MITTAL	Filing	Date	August 11, 2003		
	For F	FY 20	06	First I	lamed Inventor	Robert J	. Greenberg	, et al.
17	A !! A -! -! !! !!	the status C	200 27 CED 4 27	Exam	ner Name			
N,	Applicant claims small enti	ity status. s	See 37 CFR 1.27	Art Ur	it			
TOTA	AL AMOUNT OF PAYMEN	NT (\$)	750.00	Attorn	ey Docket No.	S230-US	SA	
MET	HOD OF PAYMENT (c	heck all th	at apply)					
	Check Credit Card	d \square_{Mo}	oney Order N	lone	Other (please id	entify):		
	Deposit Account Depos		•		Deposit Account N			
٦٠٠٠	For the above-identified				,		ply)	
	Charge fee(s) indi	icated belov	N	Ī	Charge fee(s)) indicated	below, excep	ot for the fillng fee
	Charge any additi	ional fee(s)	or underpayments of	fee(s)	Credit any ov			-
WARNI	under 37 CFR 1.1 under 37 CFR 1.1	I6 and 1.17		L		• •		de credit card
informa	ation and authorization on F	PTO-2038.			-			
FEE	CALCULATION (All the	ne fees be	low are due upon	filing or	may be subje	ct to a su	rcharge.)	
1. BA	ASIC FILING, SEARCH				FO FYA	MINIATIO	N CEEC	
		FILING FE <u>Sm</u>	all Entity	ARCH FE <u>Smai</u>	Entity	MINATIOI <u>Small</u>	Entity	
			ee (\$) <u>Fee</u>) (\$)	Fees Paid (\$)
			150 500		-			
			100 100	_			55	
Pla			100 300				30	
Re	eissue 3	300	150 500	0 25	0 60	0 30	00	
		200	100	0	0	0	0	
	XCESS CLAIM FEES					F		nall Entity Fee (\$)
	Description ach claim over 20 (incl	uding Reis	sues)			_	50	25
	sch independent claim						200	100
	ultiple dependent clain		,				360	180
<u>Tota</u>	ai Claims Ex	tra Ciaims	Fee (\$) F	ee Paid (1	<u>M</u>	ultiple Deper	ndent Claims
	20 or HP =		x=_		_	!	Fee (\$)	Fee Paid (\$)
	= highest number of total claims p. Claims Ex	ms paid for, if t ra Claims		ee Paid (\$	1	_		
11100	3 or HP =		x= _		_			
	highest number of independ	•	id for, if greater than 3.					
If th	PPLICATION SIZE FEE ne specification and dra	wings exc	eed 100 sheets of	paper (ex	cluding electron	nically file	ed sequence	or computer
1	listings under 37 CFR	1.52(e)), tl	he application size	fee due i	\$250 (\$125 fc	or small er	ntity) for each	ch additional 50
	sheets or fraction there	of. See 35 tra Sheets	5 U.S.C. 41(a)(1)(C	3) and 37 ach addit	CFR 1.16(s). onal 50 or fracti up to a whole n	on thereo	Fee (\$)	Fee Paid (\$)
4. OTI	HER FEE(S) on-English Specification	on, \$130	•	`	•	,		Fees Paid (\$)

SUBMITTED BY			
Signature	Tomas Lenderai	Registration No. (Attorney/Agent) 57,488	Telephone 818-833-5072
Name (Print/Type)	Tomas Lendvai, Ph.D.		Date March 28, 2006

Other (e.g., late filing surcharge): Small entity-fee (37CFR 1.17(m)) Petition under 37 CFR 1.137(b)

750.00

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

	Application Type: Utility # of pages: 13 Declaration Power of Attorney IDS # of references: 11 Drawings # of page(s): 1 Certificate of mailing - Exp. Mail No	ed Implantable Electrical Conductor # of drawings: 2
EV 292195076 US	EXPRESS MAIL	Mailing Label Label 11-F June 2002 Customer Copy Label 11-F June 2002 o Addressee
PM 2nd Dey 3rd Day 1 ord Day 1 ord Day 2nd Dey 3rd Day 2nd Dey 3rd Day 2nd Dey 3rd Day 2nd Dey 2nd Dey	DELIVERY (POSTAL USE ONLY) Delivery Attempt Delivery Attempt Time Employer	byee Signature Doyee S
u are making 3 copies. FOR PICKUP OR TRAC	KING CALL 1-800-222-1811 www.usps.com	



UNITED STATES POSTAL SERVICE .

EXPRESS MAIL CORPORATE ACCOUNT MAILING STATEMENT

ACCOUNT NO: 913023		PERIOD:	08/09/03 - 09	/05/03			
CHARGE BACK	LABEL ORIG NUMBER ZIP	DEST ADJ #1	POSTAGE	FEES.	DEPOSITS	WITH+ Drawals	CDA LEG
08/05/03 08/11/03 08/11/03	EV292195045US 91406 EV292195059US 91406 EV292195076US 91406 EV292195080US 91406	22313	45.60- 17.85 13.65 17.85				
08/12/03 SUB-TOTAL: (A) TOTAL CHARGES (B) TOTAL ADJUSTMEN (C) TOTAL REFUNDS (EV292195062US 91406 TS (#):	22313	13.65 76.65 76.65 0.00 0.00	0.00 0	. co . 00 . 00		
TOTAL (A + B - C):	DEPOSIT DEPOSIT		76.65 159.35	0.00 0	.00 34.05 247.55		
						•	
				,			
					-		

						000 05	

PAGE:

1306

63.15

51N311 (6/05) 104355

City National Bank - Chec

		SIAIEME	STATEMENT DATE	BEGINNING PERIOD		ENDING PERIOD
913023	91409	0/60	20/90/60	50/60/80	0	09/02/03
DEPOSITIES	REFUNDS	POSTAÇE	ADJUSTMENTS	WITHDRAWALS	TRANSFERRED TO PM	ENDING BALANCE
45.60- 281.60	00.00	76.65	00.0	0.00	00.0	159.35
TRANSACTIONS 2	.0	S S	0	0	DEPOSIT REQU	DEPOSIT REQUIRED BASED ON PREVIOUS MAILING ACTIVITY
See reverse side for impor call your account represen	See reverse side for important information. For statement inquirically your account representative within 90 days of statement date.	. For statem 0 days of stat	For statement inquiries, ys of statement date.		÷	63.15
	M		S XB	SEP 18 2003		
	M	>		·		
			VEND GL# GL# ENTE	SECC OR# AS	SECONDSIGHT LLC POSTIMMSTER SEG-00-000 BY LLDD2-03	2.83

FOR STATEMENT INQUIRIES CALL 661-775-6626 FOR PICKUP OR DELIVERY INFORMATION CALL 1-800-222-1811

THANK YOU FOR USING EXPRESS MAIL. WE VALUE YOUR BUSINESS AND LOOK FORWARD TO SERVING YOU AGAIN.





Deposit Account Statement

Requested Statement Month:

August 2003

Deposit Account Number:

500922

Name:

SECOND SIGHT MEDICAL PRODUCTS, INC.

Attention:

SCOTT B. DUNBAR

Address:

12744 SAN FERNANDO RD.

City:

SYLMAR

State:

CA

Zip:

91342

Country:

UNITED STATES OF AMERICA

DATE SEQ	POSTING REF TXT	ATTORNEY DOCKET NBR	FEE CODE	AMT	BAL
08/05 286	PCT/US03/23541	S245-PCT	1601	\$240.00	\$11,004.00
08/05 287	PCT/US03/23541	S245-PCT	1603	\$450.00	\$10,554.00
08/05 288	PCT/US03/23541		1702	\$476.00	\$10,078.00
08/05 289	PCT/US03/23541	S245-PCT	1707	\$520.00	\$9,558.00
08/05 290	PCT/US03/23541		8007	\$40.00	\$9,518.00
08/05 291	PCT/US03/23541	S245-PCT	8021	\$40.00	\$9,478.00
08/06 2	10046458	S000-USA	1806	\$180.00	\$9,298.00
08/08 30	10046458	S000-USA	2501	\$650.00	\$8,648.00
08/08 31	10046458	S000-USA	1504	\$300.00	\$8,348.00
08/08 49	10635633	S111-DIV1	2001	\$375.00	\$7,973.00
08/14 63	10638989	S230-USA	2001	\$375.00	\$7,598.00
08/14 64	10638989	S230-USA	2202	\$45.00	\$7,553.00
08/19 527	PCT/US03/25074	S230-PCT	1601	\$240.00	\$7,313.00
08/19 528	PCT/US03/25074	S230-PCT	1602	\$700.00	\$6,613.00
08/19 529	PCT/US03/25074	S230-PCT	1707	\$520.00	\$6,093.00
08/19 530	PCT/US03/25074	S230-PCT	8007	\$40.00	\$6,053.00
	START	SUM OF	SUM OF	END	
	BALANCE	CHARGES	REPLENISH		
	\$11,244.00	\$5,191.00	\$.00	\$6,053.00	

Need Help? | USPTO Home Page | Finance Online Shopping Page

UTILITY PATENT

PLICATION TRANSMITTAL

Attorney Docket No. <u>S230-USA</u>

(New Nonprovisional Applications Under 37 CFR § 1.53(b))

TO THE ASSISTANT COMMISSIONER FOR PATENTS:

entitled Insulated Implantable Electrical Conductor, for a(n):
(X) Original Patent Application.
() Continuing Application (prior application not abandoned): () Continuation () Divisional () Continuation-in-part (CIP) of prior application No: Filed on: () A statement claiming priority under 35 USC § 120 has been added to the specification.
Enclosed are: (X) Specification;
CLAIMS AS FILED
FOR NO. FILED NO. EXTRA RATE FEE Total Claims 25 5 \$9.00 \$45.00
Independent Claims 2 0 \$42.00 \$ 0.00
Multiple Dependent Claims (if applicable) \$0.00
Assignment Recording Fee \$0.00
Basic Filing Fee S375.00
Total Filing Fee S 420.00

Charge \$420.00 to Deposit Account __50-0922 _ pursuant to 37 CFR § 1.25. At any time during the pendency of this application, please charge any fees required or credit any overpayment to this Deposit Account.

I hereby certify that this is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated below and is addressed to:

Commissioner for Patents
Mail Stop: Patent Application
P.O. Box 1450
Alexandria, VA 22313-1450

By:

Typed Name: Lisa Cody

Express Mail Label No.: EV29195076US

Date of Deposit: August 11, 2003

UTILITY PATENT

Sylmar. CA 91342

Fax:

Phone: (818) 833-5071 (818) 833-5080

PLICATION TRANSMITTAL

Attorney Docket No. S230-USA

(New Nonprovisional Applications Under 37 CFR § 1.53(b))

TO THE ASSISTANT COMMISSIONER FOR PATENTS:

Transmitted herewith is the patent a	ipplication of () application	identifier or	(X) first i	named inventor,	Robert Greenberg,
entitled Insulated Implantable Electric	cal Conductor, for	· a(n):				

entitled <u>Insulated Implanta</u>		$\frac{\partial}{\partial x}$, for $a(n)$:	or (X) first flamed fiven	tor, Robert Greenberg,	
(X) Original Patent App	lication.				
() Continuati	plication No:			·	
() Si () A Cop () In or ap () Si () Power of A () Associate () Preliminar () A Duplicar () A Certified (X) Applicant	eclaration: ly Executed Combined gned. y from a Prior Applicati ecorporation by Referen ath or declaration is sup epplication and is hereby gned Statement Deletin attorney. Power of Attorney. y Amendment. te Copy of this Form for d Copy of Priority Docu claims small entity statu	Declaration and Power of Att () Unsigned. ion for Continuation/Division ce. The entire disclosure of t plied, is considered as being p incorporated herein by refere g Inventor(s) Named in the P (X) Return Re () A Check (X) Information r Processing Fee Against Dep	(X)Partially Signed. al (37 CFR § 1.63(d)). the prior application, from votant of the disclosure of the nce. rior Application. (37 CFR eceipt Postcard. In the amount of S on Disclosure Statement an osit Account. laimed).	which a copy of the accompanying § 163(d)(2)). for the Filing Fee.	
		CLAIMS AS FILED			
FOR	NO. FILED	NO. EXTRA	RATE	FEE	
Total Claims	25	5	\$9.00	\$ 45.00	
Independent Claims	2	0	\$42.00	\$ 0.00	
Multiple Dependent Cla	ims (if applicable)	<u> </u>			\$0
Assignment Recording I					\$0
Basic Filing Fee					\$375
			T.	otal Filing Fee	\$ 420
		Service "Ex		sited with the U.S. Postal Addressee" service under	
Gary Schnittgrund No.42,130	, Attorney of Record, R		Commissioner for Pater		
Date: August 11, 2003			Mail Stop: Patent Appl P.O. Box 1450 Alexandria, VA 22313-	ication	
Correspondence Addres	s:	By:			
	ical Products, Inc.		: Lisa Cody		

Express Mail Label No.: EV29195076US

Date of Deposit: August 11, 2003

	ON AND POWER (OF A	TTORI		TORNEY DOCKET NO. <u>S230-USA</u>			
Aly residence/published I am the second I am the specification () was Numbereby state the ny amendment FR 1.56. Oreign Application in the second I am the se	he original, first a r) of the subject mantable Electrical Connection of which is attact as filed on mumber mat I have reviewed r(s) referred to about con(s) and/or Claim of	and condition of any conduction of any conduction of any condition of any	itizenship are as state inventor (if only which is claimed anotor ereto unless the foll as US Appliand was amend understood the coracknowledge the days. United States C	one name is listed d for which a pater lowing box is check ication Serial No. of ed on	below) of it is sought is sought is sought in PCT In information of the information of th	or an original, the on the inventernational A (if applicable of specification which is r	pplication	
COUNT		<u></u>	ATION NUMBER	DATE FILE			TY CLAIMED UNDER 35 U.S.C. 119	
COUNT	K1 A.	, LIC	THOM HOMBER	DATE	-		YES: NO:	
							YES: NO:	
'rovisional Applic hereby claim the b	cation penefit under Title 35,	United	States Code Section 11	9(e) of any United State	es provisio	nal application(s)) listed below:	
			APPLICATION S	ERIAL NUMBER	FIL	ING DATE		
			60/40	2591	8	3/9/2002	_	
claims of this application and	cation is not disclosed uty to disclose materia nd the national or PCT	l in the al infor interna	prior United States appl mation as defined in Ti- tional filing date of this	lication in the manner p tle 37, Code of Federal application:	rovided by	the first paragrants, Section 1.56(y and, insofar as the subject matter of each of the ph of Title 35, United States Code Section 112, a) which occurred between the filing date of the section	
APPLICATI	ON SERIAL NUMBE	:K	FILING	DATE		51A1U5(F	patented/pending/abandoned)	
			 					
	ORNEY: tor, I hereby a ppoint connected therewith.			or a gent(s) listed below			tion and transact all business in the Patent and	
Send Correspond	dence to:					Direct Tele	ephone Calls To:	
Gary Schnittgrund Second Sight Medical Products, Inc. 12744 San Fernando Road, Building 3 Sylmar, CA 91342				Gary Schnittgrund (818) 833-5071				
hat these statemen	its were made with the	knowl	edge that willful false st	atements and the like so	o made are	punishable by fi	on and belief are believed to be true; and furthe ne or imprisonment, or both, under Section 100 any patent issued thereon.	
Full Name of Inve	entor: Robert Greent	berg				Citizenship	o: <u>United States</u>	
			s, California 90068 U	SA				
Post Office Addre	-							
,						1		

Date

DECLARATION AND POWER OF ATTO FOR PATENT APPLICATION (continued)		A RNEY DOCKET NO. S230-USA
Full Name of Inventor: Neil Talbot		Citizenship: <u>Australia</u>
Residence: 2254 Mira Vista. #6, Montrose, California 91020	····	·
Post Office Address: Same		
A company of the contract of t		;
inventor's Signature	Date	
	Date	
Full Name of Inventor: <u>Jerry Ok</u>		Citizenship: <u>United States</u>
Residence: 18123 Erik Court, #356. Valencia, California 91387		
Post Office Address: Same		
ventor's Signature	Date	
Full Name of Inventor: <u>Jordan Neysmith</u>		Citizenship: <u>Canada</u>
Residence: 18035 Grace Lane, #102, Valencia, California 91387		
Post Office Address: Same		
Inventor's Signature	Date	
Full Name of Inventor:		Citizenship:
Residence:		
Post Office Address:		
Inventor's Signature	— Date	· ·
iiveiitoi 3 Signature	Date	
full Name of Inventor:		Citizenship:
Residence:		
Post Office Address:		
Inventor's Signature	Date	·
Full Name of Inventor:		Citizenship:
Residence:		
Post Office Address:		
		•
Inventor's Signature	Date	

APPLICATION FOR UNITED STATES LETTERS PATENT

5

INSULATED IMPLANTABLE ELECTRICAL CIRCUIT

Attorney Docket No. S230-USA

10

Inventors:

Robert J. Greenberg, M.D., Ph.D.,
Neil Hamilton Talbot, Ph.D.,
Jordan Neysmith, and
Jerry Ok

15

Gary Schnittgrund, Esq., Ph.D. Bar No. 42,130

20

Second Sight Medical Products, Inc. 12744 San Fernando Road, Building 3 Sylmar, California 91342 818-833-5000

INSULATED IMPLANTABLE ELECTRICAL CIRCUIT

FEDERALLY SPONSORED RESEARCH

5

10

15

20

25

30

This invention was made with government support under grant No. R24EY12893-01, awarded by the National Institutes of Health. The government has certain rights in the invention.

PRIORITY CLAIM

This application claims the benefit of U.S. Application Number 60/402591 filed on August 9, 2002.

FIELD OF THE INVENTION

This invention relates to implantable medical devices, especially implantable cables and electrode arrays for stimulation, recording and interconnection.

BACKGROUND OF THE INVENTION

Arrays of electrodes for neural stimulation are commonly used for a variety of purposes. Some examples include U.S. Patent No. 3,699,970 to Brindley, which describes an array of cortical electrodes for visual stimulation. Each electrode is attached to a separate inductive coil for signal and power. U.S. Patent No. 4,573,481 to Bullara describes a helical electrode to be wrapped around an individual nerve fiber. U.S. Patent No. 4,837,049 to Byers describes spike electrodes for neural stimulation. Each spike electrode pierces neural tissue for better electrical contact. U.S. Patent No. 5,215,088 to Norman describes an array of spike electrodes for cortical stimulation. U.S. Patent No. 5,109,844 to de Juan describes a flat electrode array placed against the retina for visual stimulation. U.S. Patent 5,935,155 to Humayun describes a retinal prosthesis for use with a flat retinal array.

S230-USA 01.doc 1 S230-USA

Packaging of a biomedical device intended for implantation in the eye, and more specifically for physical contact with the retina, presents a unique interconnection challenge. The consistency of the retina is comparable to that of wet tissue paper and the biological media inside the eye is a corrosive saline liquid environment.

5

10

15

20

25

30

Thus, the device to be placed against the retina, in addition to being comprised of biocompatible, electrochemically stable materials, must appropriately conform to the curvature of the eye, being sufficiently flexible and gentle in contact with the retina to avoid tissue damage, as discussed by Schneider, et al. [see A. Schneider, T. Stieglitz, W. Haberer, H. Beutel, and J.-Uwe Meyer, "Flexible Interconnects for Biomedical Microsystems Assembly," IMAPS Conference, January 31, 2001.] It is also desirable that this device, an electrode array, provides a maximum density of stimulation electrodes. A commonly accepted design for an electrode array is a very thin, flexible circuit cable. It is possible to fabricate a suitable electrode array using discrete wires, but with this approach, a high number of stimulation electrodes cannot be achieved without sacrificing cable flexibility (to a maximum of about 16 electrodes).

Known insulators for implanted electrical circuits include polyimide and silicone dielectrics. They have limited lives once implanted. The polyimide slowly degrades upon exposure to the living tissue and allows water to reach the electrical conductor, eventually leading to at least partial electric current leakage.

Known techniques for implanted electrical circuits do not result in a hermetic package that is suitable for chronic implantation in living tissue.

Therefore, it is desired to have an insulated electrical conductor that ensures that the electronic package will function for long-term implant applications in living tissue.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a cross-sectional view of an implantable electrical circuit.

FIG. 2 illustrates a cross-sectional view of an alternate implantable electrical circuit.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The preferred embodiment is an implantable insulated electrical circuit for electrical transmission within living organisms. These assemblies provide electrical conduction, isolation of the electrical conductors from the environment in the living tissue and from each other, and mechanical support for the electrical conductor. Electrical device assemblies that are commonly used for stimulation and or recording within the body benefit from the invention. Neural stimulators or sensors are of particular interest, including retinal electrode arrays. The implantable insulated electrical conductors may also be used to connect discrete components of an implanted medical device, permitting the transmission of electrical signals, power, as well as providing mechanical connection. Key attributes include good electrical insulation properties, low moisture absorption, appropriate mechanical characteristics and ease of fabrication.

Polyparaxylylene is a known polymer that has excellent implant characteristics. One example, Parylene, manufactured by Specialty Coating Systems (SCS), a division of Cookson Electronic Equipment Group, located in Indianapolis, Indiana, is a preferred material. Parylene is available in various forms, such as Parylene C, Parylene D, and Parylene N, each having different properties. The preferred form is Parylene C, although it is recognized that many forms of polyparaxylylene may exist or may be developed that are suitable for this application.

The use of Parylene was mentioned, but not pursued, by Sonn and Feist. [see M. Sonn and W. M. Feist, "A Prototype Flexible Microelectrode Array for Implant-Prosthesis Applications," Medical and Biological Engineering, 778-791, November 1974.] Stieglitz, et al. published fabrication details of similar items manufactured using polyimide. [see T. Stieglitz, H. Beutel, M. Schuettler, and J.-U. Meyer, "Micromachined, Polyimide-Based Devices for Flexible Neural Interfaces," Biomedical Microdevices, 2:4, 283-294, 2000.] Ganesh wrote a thesis on ribbon cables for neural recording and stimulation using polyimide [see B. Ganesh, "A Polyimide Ribbon Cable for Neural Recording and Stimulation Systems," Thesis, University of Utah, March 1998.] Parylene is widely used as

10

15

20

25

30

an electrical insulating and barrier material in commercial electronic devices. It is well known to use Parylene as a conformal coating on printed circuit boards. While discrete wires have been coated with Parylene for implantation, such as with cochlear implants, the application of Parylene as an electrical insulator for implantable electrical circuits, as embodied by this invention, is unknown to the inventors.

5

10

The moisture vapor transmission rates compare favorably with those of other conformal coating materials. The rate for Parylene C is superior to almost all polymeric materials. The Parylenes resist room temperature chemical attack and are insoluble in organic solvents up to 150°C. Parylene C can be dissolved in chloro-napthalene at 175°C, and Parylene N is soluble at the solvent's boiling point (265°C). The thermal properties are given in **Table 1** and the electrical properties are given in **Table 2**.

TABLE 1. Parylene Thermal Properties (2)

Properties	Method	Parylene N	Parylene C	Parylene D	Epoxides (1)	Silicones (1)	Urethanes (1)
Melting Point (°C)	1	420	290	380	cured	cured	~170
T5 Point (°C) (modulus = (10 ⁵ psi)	1	160	125	125	110	-125	~30
T4 Point (°C) (modulus = (10 ⁴ psi)	1	>300	240	240	120	-80	0
Linear Coefficient of Expansion at 25°C (x10 ⁵ , (°C) ⁻¹)	•	6.9	3.5	3-8	4.5-6.5	25-30	10-20
Thermal Conductivity at 25°C (10 ⁻⁴ cal/(cm•s•°C))	2	3.0	2.0	-	4-5	3.5-7.5	5.0
Specific Heat at 20°C (cal/g °C)	-	0.20	0.17	•	0.25	-	0.42

Test Methods 1. Taken from Secant modulus-temperature curve

2. ASTM C 177

(2) After Specialty Coating Systems, Indianapolis, IN.

TABLE 2. Parylene Electrical Properties (3) 10

= -								
Properties (1)	Parylene N	Parylene C	Parylene D	Epoxides (2)	Silicones (2)	Urethanes (2)		
Dielectric Strength, dc								
volts/mil short time,								
1 mil films ^a	7,000	5,600	5.500					
Corrected to 1/8 inch	630	500	490	400-500	550	450-500		
Volume Resistivity			•					
ohm-cm, 23°C, 50% RHb	1.4X10 ¹⁷	8.8X10 ¹⁶	1.2X10 ¹⁷	10 ¹² -10 ¹⁷	10 ¹⁵	10 ¹¹ -10 ¹⁵		
Surface Resistivity,	,					•		
ohms, 23°C, 50% RHb	10 ¹³	10 ¹⁴	10 ¹⁶	10 ¹³	10 ¹³	10 ¹⁴		
Dielectric Constant ^c		· · · · · · · · · · · · · · · · · · ·						
60 Hz	2.65	3.15	2.84	3.5-5.0	2.7-3.1	5.3-7.8		
1 KHz	2.65	3.10	2.82	3.5-4.5	2.6-2.7	5.4-7.6		
1 MHz	2.65	2.95	2.80	3.3-4.0	2.6-2.7	4.2-5.2		
Dissipation Factor								
60 Hz	0.0002	0.020	0.004	0.002-0.01	0.001-0.007	0.015-0.05		
1 KHz	0.0002	0.019	0.003	0.002-0.02	0.001-0.005	0.04-0.06		
1 MHz	0.0006	0.013	0.002	0.03-0.05	0.001-0.002	0.05-0.07		

⁽¹⁾Properties and methods as reported in Modern Plastics Encyclopedia, issue for 1968, Vol. 45/No. 1A, McGraw Hill, New York, 1967

^a ASTM D 149 ^b ASTM D 257, 1 in² mercury electrodes ^c ASTM D 150, 1 in²

⁽¹⁾ Properties measured on Parylene films, 0.001 in thick.

¹⁵ (2) Properties and methods as reported in Modern Plastics Encyclopedia, issue for 1968, vol. 45, No. 1A, McGraw Hill, NY, 1967.

⁽³⁾ After Specialty Coating Systems, Indianapolis, IN.

A cross-sectional view of a preferred embodiment of the invention is presented in **FIG. 1**. An electrical circuit 1 is shown generally being formed on a rigid substrate 2. The substrate 2 may be selected from glass or ceramic, such as alumina or silicon. Substrate 2 is preferably comprised of glass.

5

10

15

20

25

30

A first Parylene layer 4 is deposited on the substrate 2 from a vapor phase that is produced by known techniques, such as thermal decomposition. It is known that Parylene is the polymer "polyparaxylylene" and that any source of this material may be used to implement this invention. The inventors use the term Parylene, as is common in industry practice, to indicate the class of polyparaxylylene polymers.

An electrical conductor 6 is deposited by a known physical vapor deposition method, such as sputtering or evaporation. While the preferred embodiment is to an electrical conductor 6 that is comprised of one material, it is clear that the electrical conductor 6 may also be comprised of layers of several materials. Alternatively, the conductor 6 or combination thereof may be deposited by other known methods, such as direct write, plating, or electrophoresis. The electrical conductor 6 is patterned by known techniques, such as lift-off or etching. The electrical conductor 6 may be comprised of a single metal or in an alternate embodiment, from several metals that may be layered or alloyed, that are selected from a group of electrically conductive biocompatible materials having favorable electrochemical characteristics, such as titanium, platinum, gold, iridium, and their alloys. Multiple metals may be used in order to achieve desired characteristics. For example, adhesion and barrier layers are commonly used in electronics where individual metal layers are combined to yield a more functional circuit stack. These electrical conduction paths, traces, bond pads, and electrode sites are formed prior to depositing a second layer of Parylene 8 to the device. Typical thicknesses of each Parylene layer are in the range of 0.5 to 50 microns, and preferably are about 3 to 15 microns thick. An alternate embodiment uses metals that are not biocompatible, so long as they are completely encapsulated by the surrounding structural elements and thus do not contact living tissue.

S230-USA 01.doc 7 S230-USA

In an alternate embodiment, non-biocompatible materials, such as chrome, silver, or copper may be used as the electrical conductor 6. The electrical conductor 6 is then coated with a biocompatible, hermetic coating in the exposed aperture 6 area. This coating is preferably titanium nitride, although in alternative embodiments it may be an electrically conductive biocompatible metal, such as titanium, platinum, gold, iridium, or their alloys. The Parylene layers cover and protect the rest of the electrical conductor 6.

Apertures 10 are patterned by known techniques, such as by dry etching or laser ablation, or by reactive ion etching. The apertures 10 permit electrical conduction to either tissue or a connected implanted device. The apertures 10 define an electrode area on the electrical conductor 6.

The rigid substrate 2 is removed by known techniques, such as mechanical separation or etching, where mechanical separation is the preferred technique.

As a further embodiment of the invention, adhesion between the first layer of Parylene 4 and the second layer of Parylene 8 is preferably improved by one for more of the following techniques:

- (a) Silane application between Parylene layers.
- (b) Chemical modification of the Parylene surface to create an energetic, a reactive, or an amorphous surface (Parylene is amorphous as deposited).
 - (c) Roughening of the Parylene surface.

5

10

15

20

25

30

(d) Thermal compression of the Parylene layers.

Techniques (b) and (c) can used to improve the metal to Parylene adhesion, if applied prior to metal deposition.

More than one electrical conductor 6 may be deposited adjacent to the Parylene. Additional metal layers may be deposited that are protected by additional Parylene layers, such that a multilayered higher density electrical circuit is achieved.

A further alternative embodiment, **FIG. 2**, of the invention preferably replaces the first layer of Parylene 4 with a polymer layer 111, which is preferably polyimide, such that beginning with the rigid substrate 102, the layers

are, preferably, polymer layer 111 (polyimide) - electrical conductor 106 - layer of Parylene 104. The polyimide is preferably applied as a liquid.

In an alternative embodiment, not illustrated, one applies a first polymer coating, preferably polyimide, prior to depositing the first Parylene layer, such that beginning with the rigid substrate, the layers are, polymer layer (preferably polyimide) - first Parylene layer - electrical conductor - second layer of Parylene.

5

10

15

In yet another embodiment, not illustrated, a polymer coating, preferably of polyimide is applied between the Parylene layer and the electrical conductor.

In further embodiments, not illustrated, a polymer coating, preferably of polyimide is deposited on either side of the second layer of Parylene, either in the presence or absence of a polymer coating on the first layer of Parylene.

Obviously, many modifications and variations of the present invention are possible in light of the above teachings. It is therefore to be understood that, within the scope of the appended claims, the invention may be practiced otherwise than as specifically described.

CLAIMS

What is claimed is:

5

15

20

25

- An insulated flexible electrical circuit suitable for implantation comprising:
 - a first polyparaxylylene layer;
 - a second polyparaxylylene that defines at least one aperture exposing an electrical conductor, and
- said electrical conductor located between said first polyparaxylylene layer and said second polyparaxylylene layer.
 - 2. The electrical circuit of claim 1, wherein said polyparaxylylene is comprised of Parylene.
 - 3. The electrical circuit of claim 1, further comprising at least one polymer layer between said first polyparaxylylene layer and said second polyparaxylylene layer.
 - 4. The electrical circuit of claim 3, wherein said polymer is comprised of polyimide.
 - 5. The electrical circuit of claim 1, further comprising at least one polymer layer on said first polyparaxylylene layer or said second polyparaxylylene layer that is not located between said layers.
 - 6. The electrical circuit of claim 5, wherein said polymer is comprised of polyimide.
- 7. The electrical circuit of claim 1, further comprising a layer of a polymer between said first polyparaxylylene layer and said electrical conductor.

- 8. The electrical circuit of claim 7, wherein said polymer is comprised of polyimide.
- 9. The electrical circuit of claim 1, wherein said electrical conductor is suitable for stimulating a nerve.

5

10

20

- 10. The electrical circuit of claim 1, wherein said electrical conductor is suitable for sensing a signal from a nerve.
- 11. The electrical circuit of claim 1, wherein said second polyparaxylylene that defines at least one aperture further defines an electrode site suitable for detecting or transmitting signals to living tissue.
- 12. The electrical circuit of claim 1, wherein said electrical conductor is comprised of a biocompatible material.
 - 13. The electrical circuit of claim 12, wherein said biocompatible material is selected from at least one metal from the group of titanium, platinum, gold, or iridium.
 - 14. The electrical circuit of claim 1, wherein said electrical conductor is at least partially coated with a biocompatible material.
- 15. The electrical circuit of claim 14, wherein said biocompatible material is comprised of titanium nitride.

16. A method of forming an insulated flexible electrical circuit suitable for implantation, comprising the steps of:

choosing a rigid substrate;

cleaning said rigid substrate;

depositing a first polyparaxylylene layer on said rigid substrate; depositing an electrical conductor on said first polyparaxylylene layer; patterning said electrical conductor to form a conductive path thereon; depositing a second polyparaxylylene layer;

defining at least one select portion of said second polyparaxylylene layer;

and

5

10

15

20

removing said at least one select portion of said second polyparaxylylene layer defining at least one aperture therein, thereby forming at least one electrode that is suitable for contacting living tissue.

- 17. The method of claim 16, wherein said step of choosing a rigid substrate is accomplished by choosing said substrate comprised of glass.
- 18. The method of claim 16, further comprising the step of enhancing said first polyparaxylylene layer for adhesion after said step of depositing a first polyparaxylylene layer.
- 19. The method of claim 16, further comprising the step of enhancing said electrical conductor for adhesion after said step of patterning said electrical conductor to form a conductive path.

25

20. The method of claim 16, further comprising the step of enhancing said first polyparaxylylene layer for adhesion before said step of depositing a second polyparaxylylene layer.

21. The method of claim 16, further comprising the step of applying silane to enhance adhesion.

- 22. The method of claim 16, further comprising the step of modifying by chemical means said first polyparaxylylene layer.
- 23. The method of claim 16, further comprising the step of roughening the polyparaxylylene surface.
- 24. The method of claim 16, further comprising the step of compressing thermally said first polyparaxylylene layer and said second polyparaxylylene layer to increase adhesion.
- 25. The method of claim 16, wherein said step of removing said at least one select portion of said second polyparaxylylene layer is accomplished by etching with reactive ions.

15

5

10

INSULATED IMPLANTABLE ELECTRICAL CIRCUIT

5

10

15

ABSTRACT OF THE DISCLOSURE

The invention is directed to an implantable insulated electrical circuit that utilizes polyparaxylylene, preferably as Parylene, a known polymer that has excellent living tissue implant characteristics, to provide for chronic implantation of conductive electrical devices, such as stimulators and sensors. The device is thin, flexible, electrically insulated, and stable after long exposure to living tissue. Layers of Parylene may be combined with layers of a polymer, such as polyimide, to yield greater design flexibility in the circuit. Multiple electrical conduction layers may be stacked in the circuit to increase packing density.

S230-USA 01.doc 14




Fig. 1




Fig. 2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Greenberg et al.	
r-pphount(s). Greenberg et al.	
Serial No.:	
Filed:	Group Art Unit:
Title: Insulated Implantable Electrical Conductor	Examiner:
Attorney Docket No.: S230-USA	
Commissioner for Patents Alexandria, VA 22313-1450	
INFORMATION DISC	CLOSURE STATEMENT
Dear Sir:	·
This Information Disclosure Statement	is submitted:
under 37 CFR 1.97(b), or (Within three months of filing natiapplication; or before mailing date occurs last)	ional application; or date of entry of international of first office action on the merits; whichever
under 37 CFR 1.97(c) together with Statement under 37 CFR 1.97(c) a \$180.00 fee under 37 CFR 1 (After the CFR 1.97(b) time per allowance, whichever occurs for the control of the contr	(e), or .17(p), or eriod, but before final action or notice as
under 37 CFR 1.97(d) together with Statement under 37 CFR 1.97(d) a \$180.00 fee set forth in 37 CI (Filed after final action or notice before payment of the issue fee	e), and FR 1.17(p). Se of allowance, whichever occurs first 1.
X Applicant(s) submit herewith Form PTO	1440 7 0

X Applicant(s) submit herewith Form PTO 1449-Information Disclosure Citation together with copies, of patents, publications or other information of which applicant(s) are aware, which applicant(s) believe(s) may be material to the examination of this application and for which there may be a duty to disclose in accordance with 37 CFR 1.56.

The relevance of the attached references is that this is the closest art of which Applicant is aware.

Applicant submits that the above references taken alone or in combination neither anticipate nor render obvious the present invention. Consideration of the foregoing in relation to this application is respectfully requested.

It is requested that the information disclosed herein be made of record in this application.

Respectfully submitted,

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450.

Date of Deposit: August 11, 2003

Typed Name: Lisa Cody

Signature

Gary Schnittgrund

Attorney/Agent for Applicant(s)

Reg. No. 42,130

Date: August 11, 2003

Telephone No.: (818) 833-5071

Approved for use through 10/31/2002 OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

The Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB

Substitute for form 1449A/PTO				Complete if Known		
		·		Application Number		
INFO	RMATION	DISCLO	SURE	Filing Date		
STA	TEMENT E	BY APPLI	CANT	First Named Inventor	Greenberg et al.	
(use	e as many she	ets as nece:	ssary)	Art Unit		
				Examiner Name		
Sheet	1	of	2	Attorney Docket Number	S230-USA	

U.S. PATENT DOCUMENTS							
	Cite	Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where		
	No.1	Number - Kind Code ² (if known)	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear		
	ļ	US-5,109,844	05/05/1992	De Juan, Jr., et al.	3 7,-		
	ļ	US-5,935,155	08/10/1999	Humayan, et al.			
+		US-3,699,970	10/24/1972	Brindley, et al.			
	<u> </u>	US-4,573,481	03/04/1986	Bullara, et al.			
*****		US-4,837.049	06/06/1989	Byers, et al.			
	ļ	US-5,215,088	06/01/1993	Normann, et al.			
·····		US-6,374,143	04/16/2002	Berrang, et al.			
		US-					
	<u> </u>	US-					
		US-					
		US-					
		US-					
		US-					
		US-		-			
		US-					
		US-					
		US-					
		US-					
		US-					
		US-					

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.¹	Foreign Patent Document Country Code ³ - Number ⁴ - Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		
						1	
				- THE PROPERTY CONTROL OF THE PROPERTY OF THE			
			**** · · · · · · · · · · · · · · · · ·			-	

Examiner	Date	
	Date	
Signature	On a state and	
	Considered	
		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Sent of the year of the Emperor must precede the serial number of the patent document. Wind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English tanguage Translation is attached. Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/08B (10-01)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
The Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute	e for form 1449B	PTO		Comple	te if Known
				Application Number	
IN	FORMATION	N DISC	OSURE	Filing Date	
ST	ATEMENT	BY APP	LICANT	First Named Inventor	Greenberg et al.
(use as many sh	eets as ne	cessary)	Group Art Unit	
<u> </u>	 -			Examiner Name	
Sheet	2	of	2	Attomey Docket Number	S230-USA

Cite No.	OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS). title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. M. SONN and W.M. FEIST; "A Prototype Flexible Microelectrode Array for Implant-Prosthesis Applications," Medical and Biological Engineering, 778-791, November 1974 T. STIEGLITZ, H. BEUTEL, M. SCHUETTLER, and JU. MEYER, "Micromachined, Polyimide-Based Devices for Flexible Neural Interfaces," Biomedical Microelectoses, 2:4, 283-294, 2000.	τ2
	M. SONN and W.M. FEIST; "A Prototype Flexible Microelectrode Array for Implant-Prosthesis Applications," Medical and Biological Engineering, 778-791, November 1974 T. STIEGLITZ, H. BEUTEL, M. SCHUETTLER, and JH. MEYER. "Micromachined, Polyimide Research	
	T. STIEGLITZ, H. BEUTEL, M. SCHUETTLER, and JU. MEYER, "Micromachined, Polyimide-Based Devices for Flexible Neural Interfaces," Biomedical Microdevices, 2:4, 283-294, 2000	-
-	B. GANESH, "A Polyimide Ribbon Cable for Neural Recording and Stimulation Systems," Thesis, University of Utah, March 1998.	
	A. SCHNEIDER, T. STIEGLITZ, W. HABERER, H. BEUTEL, and JUWE MEYER, "Flexible Interconnects for Biomedical Microsystems Assembly", IMAPS Conference, January 31, 2001	
		A. SCHNEIDER T. STIEGUITZ W. HAREDER H. RELITEL and J. LINUS MENTE.

Cummin	
Examiner	Date
Cianatura	Date
Signature	Considered
	Considered

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Patents, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.